

# DIAPHRAGM PUMP 1" ALUMINIUM-BUNA-N-BUNA- N



Part No  
UP10A-BAS-NNG

## TECHNICAL DATA

### DIAPHRAGM PUMP 1" ALUMINIUM-BUNA-N-BUNA-N

SAMOA diaphragm pump - compressed air driven for stationary or portable use. Can run dry without damage and requires no electrical connection. Depending on the material selected, handles both clean, dirty, corrosive and abrasive liquids. Automatic start/s

TECHNICAL DATA	
Part No	UP10A-BAS-NNG
Ratio	1:1
Capacity	200 l/min free flow
Air connection	1/2" (F) NPT
Maximum air pressure	0,8 (8) MPa (bar)
Inlet	1" (F) BSP
Outlet	1" (F) BSP
Seals	No
Max suction height	8 m
Max particle size	6,4 (1/4) mm (inch)
Material pump body	Aluminium
Material diaphragm	NBR / Buna-N
Material balls	NBR / Buna-N
Material ball valve seats	NBR / Buna-N
Certification	Ex II2 GD IIB/IIC 95 °C
Weight (Gross)	12 kg
H.S. Code	84138100

**RELATED PRODUCTS**

PART NO	DESCRIPTION	
28515	Needle valve 1/2" (F)-(M) BSP Compressed air Brass	
42121	Filter/Regulator 1/2" (F) BSP	
42132	Regulator with pressure gauge 1/2" (F) BSP	
853443	Adaptor straight 1/2" (F) BSP-(M) NPT	
UP10R-AM-200	Air sensor kit for UP10A	
UP10R-AM-1A0	Air motor kit for UP10A	
UP10R-WP-0N0	Ball kit Buna-N for UP10	
UP10R-WP-00G	Diaphragm kit Buna-N for UP10	
UP10R-WP-N00	Seat kit Buna-N for UP10A	
APD10A-BAC-G	Pulsation damper 1" Aluminium-Buna-N ATEX	