

DIAPHRAGM PUMP 1" PP-PTFE-PTFE



Part No
UP10B-CPS-PTZ

TECHNICAL DATA

DIAPHRAGM PUMP 1" PP-PTFE-PTFE

SAMOA diaphragm pump - compressed air driven for stationary or portable use. Can run dry without damage and requires no electrical connection. Depending on the material selected, handles both clean, dirty, corrosive and abrasive liquids. Automatic start/s

TECHNICAL DATA	
Part No	UP10B-CPS-PTZ
Ratio	1:1
Capacity	200 l/min free flow
Air connection	1/2" (F) NPT
Maximum air pressure	0,8 (8) MPa (bar)
Inlet	1" Flange DIN/ANSI
Outlet	1" Flange DIN/ANSI
Seals	PTFE / Teflon®
Max suction height	8 m
Max particle size	6,4 (1/4) mm (inch)
Material pump body	Polypropylene
Material diaphragm	PTFE / Teflon®
Material balls	PTFE / Teflon®
Material ball valve seats	Polypropylene
Weight (Gross)	10,4 kg
H.S. Code	84138100

RELATED PRODUCTS

PART NO	DESCRIPTION	
UP10R-WP-P00	Seat kit PP for UP10B	
UP10R-WP-99T	Seat O-ring kit PTFE for UP10	
UP10R-AM-1B0	Air motor kit for UP10B	
UP10R-WP-00Z	Diaphragm kit PTFE for UP10	
UP10R-WP-0T0	Ball kit PTFE for UP10	
UP10R-AM-201	Air sensor kit for UP10B	
UP10R-AM-300	Air shaft kit, for UP10	